Order LEAD, BLOOD [83655D-90] Order #: 92678172 Spec. #: 20322278 Qty: 1

Results

Resulted: 11/8/05 Final result Collected: 11/4/05 12:30 PM

Priority: Routine

Lab: AMERICAN MEDICAL LABORATORY

Units Stat High Low Value Flag Component Lead 0 - 9mcg/dL 16 H

Value: Lead, Blood

ASSAY WAS REPEATED AND VERIFIED.

INTERPRETATION OF BLOOD LEAD TEST RESULTS:

Age: 6 years or older: 10 mcg/dL or less

Less than 6 years:

CDC CLASS BLOOD LEAD CONCENTRATION (mag/dL) <10 I 10-14 AII 15-19 ĮΙΒ 20-44 III 45-69 IV >69 V

Refer to Current CDC guidelines for comments and interventions recommended for each class.

OSHA References: 40 mcg/dL or less

Guidelines effective June 3, 1993 were published in the Federal Register, Volume 58, No. 84, pp 26627-26649, May 4, 1993.

Test Performed by Quest, Chantilly, Quest Diagnostics Nichols Institute, 14225 Newbrook Drive, Chantilly, VA 20153 (703) 802-6900, CLIA 49D0221801

Result Narrative:

Referred to: Quest Diagnostics, Chantilly 14225 Newbrook Drive Chantilly, Virginia 20151 800-336-3718

Provider Status: Ordered

Order Date: 11/4/05

Ordered by: DIERAUF, SUSAN E [9823]

Department: EIN-PEDS[81]