



www.kappalabs.com

## Kappa Laboratories, Inc.

2577 N.W. 74th Avenue Miami, Florida 33122 Phone (305) 599-0199 · Fax (305) 592-1224 Office e-mail:  
kappalabs2@cs.com

### LABORATORY REPORT

**CLIENT:**

Hiya Health, LLC

Attn.: Adam Gillman

6454 E Roger Circle

Boca Raton, Florida 33487

**SAMPLE RECEIVED:**

01/05/2023, 4:45 PM

**SAMPLED BY:**

Client

**JOB #:**

68365

**SAMPLE LOG #:**

X142, 35780866001

البيانات معادلة من قبل المختبر

**RESULTS**

**DATE REPORTED:** 03/02/2023

Sample - Hiya Multivitamin Strawberry Improved FI Chew

Product Code: L002, Lot #210-0106

PARAMETERS

**RESULTS**

METHOD

pg/tablet

**DATE ANALYZED**

**ANALYST**

Arsenic

U

EPA 6010

02/22/2023 E83079

Cadmium

U

EPA 6010

Chromium

U

EPA 6010

Lead

U

EPA 6010

Mercury

U

EPA 7470

02/22/2023 E83079 02/22/2023 E83079 02/22/2023

02/27/2023

E83079 E83079

**Analyte Qualifiers:**

U = Compound was analyzed for but not detected.

Kappa Laboratories, Inc has been inspected and previously recognized by the U.S. Department of Agriculture (USDA Microbiology-#0093, Chemistry-#1282); Registered

with the U.S. Food and Drug Administration (FDA-#1039390) and is an FDA Accepted Laboratory for Import Testing. Kappa Laboratories is currently a Contract Laboratory to the U.S. Centers for Disease Control (CDC), Atlanta, Georgia; Vessel Sanitation Program and is U.S. Dept. of Homeland Security, U.S. Coast Guard Recognized Facility.

Test results relate only to the sample as submitted and received by the laboratory. Supplemental Analytical Certifications Pace Analytical Services, Inc.: DOH Cert #E83079. Subcontracted analyses are denoted by certification number in the analyst column.

Signed :

Some De Peter J. Knick

Dr. Peter J. Kmieck

Director, Kappa Laboratories, Inc.

Form 7.8.2 Rev 05/22

Page 1 of 1

ww